

The craft design TV with Loewe dual channel dr+ in large screen size

High performance OLED module designed, engineered and tailored by Loewe in Kronach Dual channel dr+ system with double triple tuner and SSD for multi view and multi recording Full support of 4x HDMI 2.1 and Ultra HD @ 144 Hz VRR for high-speed gaming Rich variety of smart streaming apps and VOD services with Tizen OS Powerful integrated sound bar with 260 watts and Center-In for superior audio performance Integrated ultra-slim wall mount, optional motorized table or floor stand Sophisticated design with real materials and magic moments of light and motion



LOEWE. was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics - Made in Germany.





The craft design TV with Loewe dual channel dr+ in large screen size



Home-made OLED module

The latest generation and technology of OLED open cells with master black polarizer offer highest brightness and unparalleled motion picture performance in Ultra HD resolution.

The OLED module is designed, engineered and tailored by Loewe in Kronach with alu-compound back-forming, massive alu frame and real concrete or aluminum back-cover.

Pre-calibrated in our factory and supporting HDR 10+ Adaptive, these displays meet all relevant filmmaker picture and colour standards for a perfectly natural and impressive movie reproduction.



Loewe dual channel dr+

Equipped with a dual channel chassis, double tripletuners and a large SSD, the Loewe dr+ system offers multiple viewing and recording possibilities from EPG programmed recording to spontaneous timeshift functions.

Tuners for DVB-T2/C/S2 HD and a easy accessible CI slot support various reception and recording scenarios. The Solid State Drive is perfect for video applications and both energy efficient, extra fast and absolutely noise-less for maximum comfort.



Tizen OS

The premium Tizen OS version 8 is a most convenient and fast smart operating system. The app store offers an extra-large selection of smart apps and a rich variety of video-on-demand services, including e.g. Netflix, YouTube, Disney+ and more.

The system is also compatible with advanced networking features: The support of broad-used dlna, Miracast and others allow comfortable content sharing and control via the home network.

Flexible connectivity with HDMI 2.1 including Ultra HD @ 144 Hz VRR ensures full support of latest game consoles on all four HDMI inputs.



Integrated sound bar and magic.light

An impressive 260 watts front-firing active soundbar behind a special acoustic fabric black speaker gril in harmony together with the Loewe signature.ring and the Loewe magic.light - for a discretely welcome and farewell animation or an atmospheric illumination during movie watching.

Simply adjust it as desired in any colour of the rainbow, at different brightness and saturation levels, by the touch of a button on the Loewe stellar remote.

The dedicated Center-Input allows to apply Loewe stellar 77-83 as the important Center-Speaker in a multi channel home cinema environment.



Design craftsmanship

Sophisticated craft design and clever construction details from the in-house Loewe design and innovation studio.

Created with selected real materials like a four-sided brushed full aluminum frame in a diamond-cut shape, real glas-fiber enforced concrete or aluminum on the back panel and a rotatable table stand made of massive aluminum with a fine hairline-brushed finish. The real concrete back-cover gives each TV its unique fingerprint.

All connections are hidden, and all cables are well guided and hidden by the integrated cable management plus cable covers in the light grey rear cabinet. The solid VESA bolts support any mounting solution.



Sophisticated setup solutions

The Loewe magic.motion feature rotates the TV set motorized on the optional Loewe table or floor stand motor stellar by the touch of a button on the remote control up to 45° left or right - absolutely silent and smooth

Of course the floor stand is also made of massive aluminum with a fine hairline-brushed finish. The optional floor2ceiling stand creates a spectacular free-floating 360° presentation, the wall mount stellar allows an extra slim wall solution.

The craft design TV with Loewe dual channel dr+ in large screen size

Achievements



"The TV model stellar shines with latest display technology, powerful hardware and new design language which lift an OLED TV in new dimension." International Forum Design, Spring 2024, about Loewe stellar iF DESIGN AWARD 2024



"The Loewe stellar is an OLED television that, thanks to the modular construction of its display module, offers a multitude of possibilities for material combinations."

Red Dot, Spring 2024, about Loewe stellar

reddot winner 2024

BEST DESIGN



"The Loewe stellar has an extraordinary extraordinary look with a perfect 360-degree design, consistent and unmistakable for all display sizes." audiovision magazine, edition 10/2024, about Loewe stellar



"From the conception of the design, to the development of hardware and software, construction, prototyping and final assembly final assembly of the stellar TV models all development steps at Loewe in Kronach." audiovision magazine, edition 10/2024, about Loewe stellar 65 dr+ BEST OLED



"The integrated, front-firing soundbar with 10 drivers, 80 watts of total music power and Dolby Atmos sits behind a high-gloss lacquered metal grill and ensures best speech intelligibility, a wide stereo stereo stage and dynamic film sound."

audiovision magazine, edition 10/2024, about Loewe stellar 65 dr+ BEST SOUND

The craft design TV with Loewe dual channel dr+ in large screen size

τv

Screen diagonal (cm / inch): 210/83, 195/77 Screen resolution (pixels): Ultra HD (3840 x 2160) EU energy efficiency class SDR / HDR: G / G

Loewe stellar 77-83

Scope of delivery includes TV set with integrated sound bar and wall mount stellar 83: W* x H x PD / TD = 187,5 x 116,5 x 7,0 / 7,1 stellar 77: W* x H x PD / TD = 173,9 x 108,9 x 7,0 / 7,1



	Model	Article
alu brushed + alu	stellar 83	63477
	stellar 77	63474



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted. * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The craft design TV with Loewe dual channel dr+ in large screen size

Setup solutions

Further options are possible. Your dealer will be happy to advise you.

Stand solutions

table stand motor stellar stellar 83: W* x H x PD / TD = 187,5 x 122,7 x 7,0 / 41,0 stellar 77: W* x H x PD / TD = 173,9 x 115,2 x 7,0 / 41,0 motorized rotatable (+/- 45°), concealed cable routing

floor stand motor stellar stellar 77: W* x H x PD / TD = 173,9 x 155,7 x 7,0 / 69,5 motorized rotatable (+/- 45°), concealed cable routing

floor2ceiling stand stellar 83: W* x H x PD / TD = tba stellar 77: W* x H x PD / TD = tba manually rotatable (+/- 110°), concealed cable routing, height adjustable (220-290 cm)

Wall solutions

wall mount slim 432 stellar 83: W* x H x PD / TD = 187,5 x 116,5 x 7,0 / 10,2 stellar 77: W* x H x PD / TD = 173,9 x 108,9 x 7,0 / 10,2 flat mounting



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted. * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The craft design TV with Loewe dual channel dr+ in large screen size

System components Loewe multi.room amp Colour Model Article Stereo amplifier for multiroom and homecinema black 61600 multi.room amp installations with 1.200 watts total music power Loewe klang bar5 mr 5.1.2 Dolby Atmos soundbar with wireless 60601 basalt grey klang bar5 mr subwoofer and 800 watts total music power Loewe klang bar3 mr 3.1 Dolby Atmos soundbar with integrated subwoofer and 360 watts total music power basalt grey klang bar3 mr 60614 Loewe klang sub5 Any number of klang sub5 can be connected to a basalt grey klang sub5 60603 klang bar3 mr or klang bar5 mr at the same time Loewe klang mr5 Wireless active speakers with 180 watts for basalt grey klang mr5 60606 multichannel home cinema or multiroom audio Loewe klang mr3 Wireless active speakers with 150 watts for basalt grey klang mr3 60605 multichannel home cinema or multiroom audio Loewe klang mr1 Wireless active speakers with 30 watts as rear basalt grey 60604 klang mr1 surround or for multiroom audio Loewe remote klang mr Multifunctional IR remote control for Loewe klang mr 74000 black remote klang mr and Loewe klang bar to operate all basic functions and sound settings

The craft design TV with Loewe dual channel dr+ in large screen size

Additional information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you: Monday to Friday 09:00 – 17:00 o'clock ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

Loewe stellar

83 dr+

alu brushed + alu

77 dr+ alu brushed + alu

Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	210/83/1	195 / 77 / 1
Panel luminance ¹ (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.500 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	●/●/● (Adaptive)/—/ ●	●/●/● (Adaptive)/—/ ●
Receiption		
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/•	•/•/•/•/•
Unicable / Dual Channel	•/•	•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	•/-/-/•	$\bullet/-/-/\bullet$
TV+ / Zattoo app / HD+ app	 (Samsung TV Plus) / ● / — 	 (Samsung TV Plus) / ● / —
Audio		
Output (ca. watts sine / music) / driver (active + passive)	2x 65 / 2x 130 / tba	2x 65 / 2x 130 / tba
Acoustic speaker concept	active bar + bass reflex	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	$\bullet/-/\bullet$	$\bullet/-/\bullet$
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/-	$\bullet/\bullet/\bullet/\bullet/-$
Class-D amp / Auto Volume (AVC)	• / •	• / •
7-Band EQ / Dynamic Loudness	•/•	•/•
Operation and apps		
Loewe chassis / os / home screen / app store	L9 / Tizen OS / ● / ●	SL9 / Tizen OS / • / •
my Loewe app / smart apps (all: Android + iOS)	SmartThings app	• / SmartThings app
Voice control: Alexa Skills / other	— / Bixby voice	Bixby voice
EPG / Number of stations in channel list	• / 10.000	- / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•
Multi View	•	•
Menu languages / Context related help	• ^{3D} / •	• ^{3D} / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/-	•/•/
Multimedia		
Loewe dr+: storage capacity / USB recording / timeshift	1 TB SSD / o / o	0.5 TB SSD / • / •
Loewe dr+: streaming server / client	— / • (dlna)	— / • (dlna)
Multi Recording	•	•
Media player / DLNA renderer / web apps / browser	•/•/•/•	•/•/•/•
YouTube / Amazon Prime Video / Netflix / Disney+ / Apple tv+	•/•/•/-	•/•/•/•
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1
HDMI	4 x HDMI 2.1	4 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (144 Hz)	● / ● / ● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•
USB-A: number x power	1 x 1,0A, 1 x 2,0A	1 x 1,0A, 1 x 2,0A
USB-C: number x power	2 x 1,0A	2 x 1.0A
Bluetooth / Miracast / AirPlay	•/•/-	•/•/-
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/-	•/•/—
TOSLINK / center in / cube plug stereo	●/● (Cinch L/R)/—	●/● (Cinch L/R)/—
Audio out control: fix / variable / sub (3.5 mm jack)	-/•/•	- / • / •
Loewe motor.control	•	•
Home automation / Control4 / Crestron	 (via SmartThings) / − / − 	• (via SmartThings) / — / —
Power socket	C17 (D type)	C17 (D type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G/G	0.40
LO GIGLEY CHUCHUY GIASS, SUR LEED / HUR LEFT		G/G
		G / G 2185763
EPREL registration No.: https://eprel.ec.europa.eu	2185767 220-240V, 50 / 60 Hz / • / 0,0	G / G 2185763 220-240V, 50 / 60 Hz / ● / 0,0
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)	2185767	2185763
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN	2185767 220-240V, 50 / 60 Hz / • / 0,0	2185763 220-240V, 50 / 60 Hz / • / 0,0
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm)	2185767 220-240V, 50 / 60 Hz / • / 0,0 • / •	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ●
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution	2185767 220-240V, 50 / 60 Hz / • / 0,0 • / • 51,0 / 52,1	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution	2185767 220-240V, 50 / 60 Hz / • / 0,0 • / • 51,0 / 52,1 187,5 x 116,5 x 7,0	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7,0
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand	2185767 220-240V, 50 / 60 Hz / • / 0,0 • / • 51.0 / 52,1 187,5 × 116,5 × 7.0 187,5 × 122,7 × 41,0	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock	2185767 220-240V, 50 / 60 Hz / • / 0,0 • / • 51,0 / 52,1 187,5 x 116,5 x 7,0	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7,0
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery	2185767 220-240V, 50 / 60 Hz / • / 0,0 • / • 51.0 / 52,1 187.5 × 116.5 × 7.0 187.5 × 122.7 × 41.0 400 × 200 /	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / —
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51.0 / 52.1 187.5 × 116.5 × 7.0 187.5 × 122.7 × 41.0 400 × 200 / — integrated	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173,9 × 108,9 × 7,0 173,9 × 115,2 × 41,0 400 × 200 / — integrated
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker Setup Solution / rotate-able	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51.0 / 52.1 187.5 x 116.5 x 7.0 187.5 x 122.7 x 41.0 400 x 200 / — integrated integrated wall mount / fix	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / — integrated integrated wall mount / fix
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51.0 / 52.1 187.5 × 116.5 × 7.0 187.5 × 122.7 × 41.0 400 × 200 / — integrated integrated	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / — integrated integrated integrated wall mount / fix Loewe remote stellar & mini
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51.0 / 52,1 187,5 × 116,5 × 7.0 187,5 × 122,7 × 41,0 400 × 200 / integrated integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black)	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / — integrated integrated wall mount / fix Loewe remote stellar & mini ● / ● (2.5 m, black)
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51.0 / 52.1 187.5 × 116.5 × 7.0 187.5 × 122.7 × 41.0 400 × 200 / — integrated integrated	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / — integrated integrated integrated wall mount / fix Loewe remote stellar & mini
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51.0 / 52,1 187,5 × 116,5 × 7.0 187,5 × 122,7 × 41,0 400 × 200 / integrated integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black)	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / — integrated integrated wall mount / fix Loewe remote stellar & mini ● / ● (2.5 m, black)
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51,0 / 52,1 187,5 x 116,5 x 7,0 187,5 x 122,7 x 41,0 400 x 200 / — integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box wall mount universal	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / — integrated integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand
EVENERGY Entropy Class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories Selection of recommended setup solutions and audio systems	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51,0 / 52,1 187,5 x 116,5 x 7,0 187,5 x 122,7 x 41,0 400 x 200 / — integrated integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box wall mount universal wall mount slim 432	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / — integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand floor stand flex
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51,0 / 52,1 187,5 x 116,5 x 7,0 187,5 x 122,7 x 41,0 400 x 200 / — integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box wall mount universal	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / — integrated integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand floor stand flex wall mount universal
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories	2185767 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 51,0 / 52,1 187,5 x 116,5 x 7,0 187,5 x 122,7 x 41,0 400 x 200 / — integrated integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box wall mount universal wall mount slim 432	2185763 220-240V, 50 / 60 Hz / ● / 0,0 ● / ● 47.5 / 48.6 173.9 × 108.9 × 7.0 173.9 × 115.2 × 41.0 400 × 200 / — integrated wall mount / fix Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand floor stand flex

• = available, • = optional, — = not available

1 according to panel spec typ. values @ HDR 10% ³⁰⁾ pt - dk - es - en - fr - sv - fi - it - ro - bs - hr - sl - sq - sr - lv - lt - et - hu - no - cs - nl - de - pl - el - mk - bg - ko

Technical changes, delivery options, errors and price changes reserved. All product and company on makes are trademarksTM or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and service platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the timic party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the timic party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, Internet service, device features and content availability.